

SHOWER DOOR HARDWARE



FORGET THE REST



CLASSIC SHOWER HINGES

Specifications

- Solid Brass Drop Forged Construction
- Stainless Steel Reversible Pivot Pin with 0° and 5° positive stop
- GLASS SIZES : 3/8" (10mm) to 1/2"(12mm) tempered glass
- Stainless Steel Hardened coil springs
- Hinge design to fit industry standards templates
- 90° opening angles
- Accessories - gaskets/ screws, allen wrench, template

Used for Standard Wall to Glass installation. Available with full back plate and short back plate. Short back plate allows the glass to be placed closer to the wall.

WALL TO GLASS	PRODUCT CODE	FINISH
	(full back plate)	
	SHS037L-PB	Polished Brass
	SHS037L-CP	Bright Chrome
	SHS037L-BN	Brushed Nickel
	SHS037L-ORB	Oil Rubbed Bronze

(SHORT BACK PLATE)	PRODUCT CODE	FINISH
	SHS037S-PB	Polished Brass
	SHS037S-CP	Bright Chrome
	SHS037S-BN	Brushed Nickel
	SHS037S-ORB	Oil Rubbed Bronze

Used to mount a door to a fixed glass side panel that runs at a 180 degree angle to the door.

180° GLASS TO GLASS	PRODUCT CODE	FINISH
	SHS180-PB	Polished Brass
	SHS180-CP	Bright Chrome
	SHS180-BN	Brushed Nickel
	SHS180-ORB	Oil Rubbed Bronze

Used to mount a door to a fixed glass side panel that runs at a 135 degree angle to the door.

135° GLASS TO GLASS	PRODUCT CODE	FINISH
	SHS135-PB	Polished Brass
	SHS135-CP	Bright Chrome
	SHS135-BN	Brushed Nickel
	SHS135-ORB	Oil Rubbed Bronze

Used to mount a door to a fixed glass side panel that runs at a 90 degree angle to the door.

90° GLASS TO GLASS	PRODUCT CODE	FINISH
	SHS090-PB	Polished Brass
	SHS090-CP	Bright Chrome
	SHS090-BN	Brushed Nickel
	SHS090-ORB	Oil Rubbed Bronze

CAPACITY	DOOR WEIGHT	DOOR WIDTH	DOOR WIDTH
		3/8" (10mm)	1/2" (12mm)
Utilizing 2 hinges	80 lbs(36kg)	28"(711mm)	26"(660mm)
Utilizing 3 hinges	120 lbs(54kg)	32"(813mm)	30"(762mm)
Packaging : 1 pc per box			

Standard Reversible Pivot Pin

Each Hinge contains a reversible Pivot Pin. The hinge comes with the Pivot Pin set for regular closing position (wall meets door at 90°). The opposite side of the pin has been machined at 5°, and will provide tighter door closure (85°) by simply rotating the Pivot Pin half-way around.

Custom Pivot Pin

Custom Pivot Pin are available for "off-angle" installations. If the Standard Reversible 5° Pivot Pin contained in the hinge does not assist in closing the door to the position desired, you may specify the angle needed for a Custom Pivot Pin.

SILHOUETTE SHOWER HINGES

Specifications

- Solid Brass Drop Forged Construction
- Stainless Steel Reversible Pivot Pin with 0° and 5° positive stop
- GLASS SIZES : 3/8" (10mm) to 1/2"(12mm) tempered glass
- Stainless Steel Hardened coil springs
- Hinge design to fit industry standards templates
- 90° opening angles
- Accessories - gaskets / screws, allen wrench, template

Used for Standard Wall to Glass installation. Available with full back plate and short back plate. Short back plate allows the glass to be placed closer to the wall.

WALL TO GLASS	PRODUCT CODE	FINISH
	SHB037L-PB	Polished Brass
	SHB037L-CP	Bright Chrome
	SHB037L-BN	Brushed Nickel
	SHB037L-ORB	Oil Rubbed Bronze

(SHORT BACK PLATE)	PRODUCT CODE	FINISH
	SHB037S-PB	Polished Brass
	SHB037S-CP	Bright Chrome
	SHB037S-BN	Brushed Nickel
	SHB037S-ORB	Oil Rubbed Bronze

Used to mount a door to a fixed glass side panel that runs at 180 degree angle to the door.

180° GLASS TO GLASS	PRODUCT CODE	FINISH
	SHB180-PB	Polished Brass
	SHB180-CP	Bright Chrome
	SHB180-BN	Brushed Nickel
	SHB180-ORB	Oil Rubbed Bronze

Used to mount a door to a fixed glass side panel that runs at a 135 degree angle to the door.

135° GLASS TO GLASS	PRODUCT CODE	FINISH
	SHB135-PB	Polished Brass
	SHB135-CP	Bright Chrome
	SHB135-BN	Brushed Nickel
	SHB135-ORB	Oil Rubbed Bronze

Used to mount a door to a fixed glass side panel that runs at a 90 degree angle to the door.

90° GLASS TO GLASS	PRODUCT CODE	FINISH
	SHB090-PB	Polished Brass
	SHB090-CP	Bright Chrome
	SHB090-BN	Brushed Nickel
	SHB090-ORB	Oil Rubbed Bronze

CAPACITY	DOOR WEIGHT	DOOR WIDTH	DOOR WIDTH
		3/8" (10mm)	1/2" (12mm)
Utilizing 2 hinges	80 lbs(36kg)	28"(711mm)	26"(660mm)
Utilizing 3 hinges	120 lbs(54kg)	32"(813mm)	30"(762mm)
Packaging : 1 pc per box			

Standard Reversible Pivot Pin

Each Hinge contains a reversible Pivot Pin. The hinge comes with the Pivot Pin set for regular closing position (wall meets door at 90°). The opposite side of the pin has been machined at 5°, and will provide tighter door closure (85°) by simply rotating the Pivot Pin half-way around.


Custom Pivot Pin

Custom Pivot Pin are available for "off-angle" installations. If the Standard Reversible 5° Pivot Pin contained in the hinge does not assist in closing the door to the position desired, you may specify the angle needed for a Custom Pivot Pin.


SHOWER HINGE GLASS CUT-OUT

Glass Cut Out For:
Classic, Elegance and Silhouette Shower Hinges


WALL TO GLASS




135° GLASS TO GLASS



180° GLASS TO GLASS



90° Glass to Glass



HEAVY DUTY SHOWER HINGES

Specifications

- Solid Brass Drop Forged Construction
- Stainless Steel Reversible Pivot Pin with 0° and 5° positive stop
- **GLASS SIZES** : 3/8" (10mm) to 1/2"(12mm) tempered glass
- Stainless Steel Hardened coil springs
- Hinge design to fit industry standards templates
- 90° opening angles
- Accessories - gaskets/ screws, allen wrench, template

CAPACITY	DOOR WEIGHT	DOOR WIDTH 3/8" (10mm)	DOOR WIDTH 1/2" (12mm)
Utilizing 2 hinges	110 lbs(50kg)	36"(914mm)	36"(914mm)
Utilizing 3 hinges	140 lbs(64kg)	36"(914mm)	36"(914mm)
Packaging : 1 pc per box			

Standard Reversible Pivot Pin

Each Hinge contains a reversible Pivot Pin.The hinge comes with the Pivot Pin set for regular closing position (wall meets door at 90°).The opposite side of the pin has been machined at 5°,and will provide tighter door closure (85°) by simply rotating the Pivot Pin half-way around.

Custom Pivot Pin

Custom Pivot Pin are available for “off-angle” installations. If the Standard Reversible 5° Pivot Pin contained in the hinge does not assist in closing the door to the position desired, you may specify the angle needed for a Custom Pivot Pin.

Used for Standard Wall to Glass installation.Available with full back plate and short back plate.Short back plate allows the glass to be placed closer to the wall.

Silhouette shower hinges

WALL TO GLASS	PRODUCT CODE	FINISH
 (full back plate)	HHB037H-PB	Polished Brass
	HHB037H-CP	Bright Chrome
	HHB037H-BC	Brushed Chrome
	HHB037H-PN	Polished Nickel
	HHB037H-BN	Bruched Nickel
	HHB037H-PW	Bruched Pewter
(SHORT BACK PLATE)	PRODUCT CODE	FINISH
	HHB037S-PB	Polished Brass
	HHB037S-CP	Bright Chrome
	HHB037S-BC	Brushed Chrome
	HHB037S-PN	Polished Nickel
	HHB037S-BN	Bruched Nickel
	HHB037S-PW	Bruched Pewter

Used to mount a door to a fixed glass side panel that runs at a 90 degree angle to the door.


90° WALL TO GLASS	PRODUCT CODE	FINISH
	HHS037S-PB	Polished Brass
	HHS037S-CP	Bright Chrome
	HHSO37S-BC	Brushed Chrome
	HHSO37S-PN	Polished Nickel
	HHSO37S-BN	Bruched Nickel
	HHSO37S-PW	Bruched Pewter

SHOWER HINGE GLASS CUT-OUT

Glass Cut Out For:



Classic, Elegance and Silhouette Shower Hinges

WALL TO GLASS





GLASS CLAMPS



GCSBUF





GCSB090L



GCSB180Y




GCSB180




SHOWER HINGE GLASS CUT-OUT


GCSSUF



GCSS090L




GCSS180Y



GLASS CLAMPS


GCSS180



GCSS090




GCSS135




GLASS CLAMPS


LEFT HAND (GCLIP-LH)




RIGHT HAND (GCLIP-RH)



90° (GCLIP90)




135° (GCLIP135)



SHOWER DOOR MINI HINGE

Mini Shower Hinge

For Glass that is 1/4" thick
CUTOUT : 1"



PRODUCT	FINISH
ALMHBD1	Polished Chrome
ALMHBNA1	Brushed Nickel
ALMHUS10BA1	Oil Rubbed Bronze

SHOWER DOOR KNOBS

Specifications

- **MATERIAL** : solid brass
- **DIAMETER** : 3/4" (19mm)
- **GLASS THICKNESS RANGE** : 1/4" (6mm) to 1/2" (12mm)
- **EXTENSION FROM DOOR** : 1-1/4" (30mm)
- **MAXIMUM GLASS HOLE DIAMETER** : 1/2" (12mm)
- **FINISHES** : polished brass, bright chrome & brushed nickel

The shower door knob is made of solid brass and is ideal for standard frameless swinging doors.



PRODUCT CODE	FINISH
SDK03X1-PB	Polished Brass
SDK03X1-CP	Bright Chrome
SDK03X1-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK03X2-PB	Polished Brass
SDK03X2-CP	Bright Chrome
SDK03X2-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK04X1-PB	Polished Brass
SDK04X1-CP	Bright Chrome
SDK04X1-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK04X2-PB	Polished Brass
SDK04X2-CP	Bright Chrome
SDK04X2-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK05X1-PB	Polished Brass
SDK05X1-CP	Bright Chrome
SDK05X1-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK06X2-PB	Polished Brass
SDK06X2-CP	Bright Chrome
SDK06X2-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK06X1-PB	Polished Brass
SDK06X1-CP	Bright Chrome
SDK06X1-BN	Brushed Nickel



PRODUCT CODE	FINISH
SDK06X2-PB	Polished Brass
SDK06X2-CP	Bright Chrome
SDK06X2-BN	Brushed Nickel

SHOWER DOOR PULL HANDLES



CLASSIC BACK TO BACK PULLS

SIZE : 6" OR 8"

PRODUCT	FINISH
SDH3/4-6-PS	Polished Chrome
SDH3/4-6-BS	Brushed Nickel
SDH3/4-6-US10B	Oil Rubbed Bronze
SDH3/4-8-PS	Polished Chrome
SDH3/4-8-BS	Brushed Nickel
SDH3/4-8-US10B	Oil Rubbed Bronze

DECORATIVE METAL WASHERS

PRODUCT	FINISH
MWPS-SS	Polished Chrome
MWBS-SS	Brushed Nickel
MWUS10B-SS	Oil Rubbed Bronze



SHOWER DOOR PULL HANDLES




CRESCENT BACK TO BACK PULLS SIZE: 8" CTC

Specifications


- Brass or Stainless Steel Tubing
- **TUBE DIAMETER** : 3/4"
- **GLASS THICKNESS RANGE** : 1/4" to 1/2"
- **CUTOUT** : 1/2" holes CTC 8" or 6"
- **FINISHES** : Chrome, Brushed Nickel, Bronze

PRODUCT	
SDH-CR8-PS	Polished Chrome
SDH-CR8-BS	Brushed Nickel
SDH-CR8-ORB	Oil Rubbed Bronze



CONTEMPORARY SQUARE BACK TO BACK PULLS SIZE: 8" CTC

PRODUCT	FINISH
SDHQ8PS	Polished Chrome
SDHQ8BSL	Brushed Nickel
SDHQ8ORB	Oil Rubbed Bronze



CRESCENT BACK TO BACK PULLS SIZE: 6" OR / 8" CTC

PRODUCT	OAL	FINISH
SDHLP6PS	10"	Polished Chrome
SDHLP6BS	10"	Brushed Nickel
SDHLP8PS	12"	Polished Chrome
SDHLP8BS	12"	Brushed Nickel

SHOWER DOOR TOWEL BARS



CLASSIC TOWEL BARS

SIZE: 18” TO 28”

PRODUCT		FINISH
SDP3/4-18-PS	18”	Polished Chrome
SDP3/4-18-BS		Brushed Nickel
SDP3/4-18-ORB		Oil Rubbed Bronze
SDP3/4-20-PS	20”	Polished Chrome
SDP3/4-20-BS		Brushed Nickel
SDP3/4-20-ORB		Oil Rubbed Bronze
SDP3/4-22-PS	22”	Polished Chrome
SDP3/4-22-BS		Brushed Nickel
SDP3/4-22-ORB		Oil Rubbed Bronze
SDP3/4-24-PS	24”	Polished Chrome
SDP3/4-24-BS		Brushed Nickel
SDP3/4-24-ORB		Oil Rubbed Bronze
SDP3/4-26-PS	26”	Polished Chrome
SDP3/4-26-BS		Brushed Nickel
SDP3/4-26-ORB		Oil Rubbed Bronze
SDP3/4-27-PS	27”	Polished Chrome
SDP3/4-27-BS		Brushed Nickel
SDP3/4-27-ORB		Oil Rubbed Bronze
SDP3/4-28-PS	28”	Polished Chrome
SDP3/4-28-BS		Brushed Nickel
SDP3/4-28-ORB		Oil Rubbed Bronze



Specifications

- Brass or Stainless Steel Tubing
- **TUBE DIAMETER** : 3/4”
- **GLASS THICKNESS RANGE** : 1/4” to 1/2”
- **CUTOUT** : 1/2” holes
- **FINISHES** : Chrome, Brushed Nickel, Bronze

METAL WASHERS

PRODUCT	FINISH
MWPS-SS	Polished Chrome
MWBS-SS	Brushed Nickel
MWUS10B-SS	Oil Rubbed Bronze



CLASSIC TOWEL BAR COMBO

SIZE: 18” AND 24”

PRODUCT		FINISH
SDTB3/4-6x18-PS	6x18”	Polished Chrome
SDTB3/4-6x18-BS		Brushed Nickel
SDTB3/4-6x18-ORB		Oil Rubbed Bronze
SDTB3/4-6x24-PS	6x24”	Polished Chrome
SDTB3/4-6x24-BS		Brushed Nickel
SDTB3/4-6x24-ORB		Oil Rubbed Bronze
SDTB3/4-8x18-PS	8x18”	Polished Chrome
SDTB3/4-8x18-BS		Brushed Nickel
SDTB3/4-8x18-ORB		Oil Rubbed Bronze
SDTB3/4-8x24-PS	8x24”	Polished Chrome
SDTB3/4-8x24-BS		Brushed Nickel
SDTB3/4-8x24-ORB		Oil Rubbed Bronze




SHOWER DOOR TOWEL BARS



Specifications

- Brass or Stainless Steel Tubing
- **DIAMETER** : 3/4"
- **GLASS THICKNESS RANGE** : 1/4" to 1/2"
- **CUTOUT** : 1/2" holes
- **FINISHES** : Chrome, Brushed Nickel, Bronze



LADDER TOWEL BARS

SIZE: 18" TO 28"

PRODUCT		FINISH
SDPLPT18PS	18"	Polished Chrome
SDPLPT18BS		Brushed Nickel
SDPLPT18ORB		Oil Rubbed Bronze
SDPLPT20PS	20"	Polished Chrome
SDPLPT20BS		Brushed Nickel
SDPLPT20ORB		Oil Rubbed Bronze
SDPLPT22PS	22"	Polished Chrome
SDPLPT22BS		Brushed Nickel
SDPLPT22ORB		Oil Rubbed Bronze
SDPLPT24PS	24"	Polished Chrome
SDPLPT24BS		Brushed Nickel
SDPLPT24ORB		Oil Rubbed Bronze
SDPLPT26PS	26"	Polished Chrome
SDPLPT26BS		Brushed Nickel
SDPLPT26ORB		Oil Rubbed Bronze
SDPLPT28PS	28"	Polished Chrome
SDPLPT28BS		Brushed Nickel
SDPLPT28ORB		Oil Rubbed Bronze




SHOWER DOOR TOWEL BARS



Specifications

- Brass or Stainless Steel Tubing
- **DIAMETER** : 3/4"
- **GLASS THICKNESS RANGE** : 1/4" to 1/2"
- **CUTOUT** : 1/2" holes
- **FINISHES** : Chrome, Brushed Nickel, Bronze



LADDER TOWEL BARS

SIZE: 18" TO 28"


PRODUCT		FINISH
SDPSQT18PS SDPSQT18BS SDPSQT18ORB	18"	Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPSQT20PS SDPSQT20BS SDPSQT20ORB		Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPSQT22PS SDPSQT22BS SDPSQT22ORB		Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPSQT24PS SDPSQT24BS SDPSQT24ORB	24"	Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPSQT26PS SDPSQT26BS SDPSQT26ORB		Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPSQT28PS SDPSQT28BS SDPSQT28ORB	28"	Polished Chrome Brushed Nickel Oil Rubbed Bronze





Specifications

- Brass or Stainless Steel Tubing
- **DIAMETER** : 3/4"
- **GLASS THICKNESS RANGE** : 1/4" to 1/2"
- **CUTOUT** : 1/2" holes
- **FINISHES** : Chrome, Brushed Nickel, Bronze



Round Tubular Mitered Corner Towel Bars
Size: 18" to 28"

PRODUCT		FINISH
SDPLPT18PS SDPLPT18BS SDPLPT18ORB	18"	Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPLPT20PS SDPLPT20BS SDPLPT20ORB		Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPLPT22PS SDPLPT22BS SDPLPT22ORB		Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPLPT24PS SDPLPT24BS SDPLPT24ORB	24"	Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPLPT26PS SDPLPT26BS SDPLPT26ORB		Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDPLPT28PS SDPLPT28BS SDPLPT28ORB	28"	Polished Chrome Brushed Nickel Oil Rubbed Bronze



SHOWER DOOR PULL HANDLES



Specifications

- **MATERIAL :**
Solid Brass or Stainless Steel tubing
- **CENTER TO CENTER :**
6" and 8" (other size upon request)
- **DIAMETER :** 3/4"(19mm)
- **GLASS THICKNESS RANGE :**
1/4"(6mm) to 1/2"(12mm)
- **FINISHES :**
Polished Brass, Bright Chrome, Brushed Nickel,
Polished Stainless & Brushed Stainless
Choice of no washer or with metal washer
Requires 1/2" maximum holes for installation

The Single-Sided Pull is commonly used for cabinets, by-passing doors and wardrobes doors.

PRODUCT CODE	PRODUCT CODE	FINISH
6"	8"	
SDP3/4-6-PB	SDP3/4-8-PB	Polished Brass
SDP3/4-6-CP	SDP3/4-8-CP	Bright Chrome
SDP3/4-6-BN	SDP3/4-8-BN	Brushed Nickel
SDP3/4-6-PS	SDP3/4-8-PS	Polished Stainless
SDP3/4-6-BS	SDP3/4-8-BS	Brushed Stainless


SHOWER DOOR POLYCARBONATES

Specifications

- Clear Polycarbonates, Vinyl Seals and Edge Wipes
- Available in 1/4" (6mm) and 3/8" (10mm) Glass Sizes
- 78", 84" and 98" length available

Dual Seal and Wipe

This Seal and Wipe has two uses: Installed on the door bottom the soft acts as a wipe; If installed on the overlapping bi-fold door the soft lip acts as a seal.




PRODUCT CODE	GLASS SIZE
EW06DD	1/4" (6mm)
EW10DD	3/8" (10mm)
EW10DD	3/8" (10mm)




Clear Bottom Wipe with Drip Rail

The Clear Bottom Wipe with Drip Rail is installed on the bottom of door. Soft wipes on the bottom provide a tight seal 45°.




PRODUCT CODE	GLASS SIZE
EW06WS	1/4" Extended Wing
EW10WS	3/8" Extended Wing
EW10WS	3/8" Extended Wing



'Y' Inline Panel Seal

This is for use on 180° in-line glass applications. It is installed onto the fixed panel with the lip on the strike side.




PRODUCT CODE	GLASS SIZE
EW06YJ	1/4" (6mm)
EW10YJ	3/8" (10mm)



"H" Jamb Seal

The "H" jamb is for use on 180° inline glass applications. Installed onto the fixed glass panel with the lip positioned on the strike side, or onto the door with the lip positioned on the hinge side.



PRODUCT CODE	GLASS SIZE
EW10HJ	3/8" (10mm)
EW10HJ	3/8" (10mm)
EW10HJ	3/8" (10mm)




SHOWER DOOR POLYCARBONATES

Specifications


- Clear Polycarbonates, Vinyl Seals and Edge Wipes
- Available in 8mm and 10mm Glass Sizes
- 2.5 meters [98"] length

EDGE WIPES COMBO

"This Clear Polycarbonate is snapped onto the strike side fixed panel at a 90° angle from the door. Contains vinyl insert."




PRODUCT CODE	GLASS SIZE
EW9006CF	6mm
EW9010CF	10mm




EDGE WIPES COMBO

This Clear 180° Polycarbonate is snapped onto the fixed panel running inline with the door.




PRODUCT CODE	GLASS SIZE
EW18006CF	6mm
EW180010CF	10mm




EDGE WIPES "U" JAMB SEAL

The Clear Polycarbonate 'U' With Bulb Attachment is a versatile seal that can be mounted to the edge of a door or panel for a variety of installation configurations. The soft Bulb portion of the Seal allows doors to swing both in and out of the enclosure if desired.




PRODUCT CODE	GLASS SIZE
EW06U	6mm
EW10U	10mm



EDGE WIPES "F" JAMB SEAL


"Ideal for Use With Hydroslide Sliding System Multiple uses include applying to the sliding door or fixed panel of a Hydroslide Sliding Door System, or as a 90° seal for a fixed panel meeting a door at 90°."

PRODUCT CODE	GLASS SIZE
EW10F	10mm




MAGNETIC EDGE WIPES(SEAL)

- "Provide Positive Door Closure"
- Mix and Match Configurations to Achieve Desired Result
 - Made of Co-Extruded Plastic With Soft Magnetic Receiver
 - Models for 1/4" (6 mm) to 3/8" (10 mm) Thick Glass"




PRODUCT CODE	GLASS SIZE
MEW10-90	10mm




MAGNETIC EDGE WIPES(SEAL)

- "Provide Positive Door Closure"
- Mix and Match Configurations to Achieve Desired Result
 - Made of Co-Extruded Plastic With Soft Magnetic Receiver
 - Models for 1/4" (6 mm) to 3/8" (10 mm) Thick Glass"




PRODUCT CODE	GLASS SIZE
MEW10-135	10mm




SHOWER DOOR POLYCARBONATES

EDGE WIPES

Edge Wipes can be used for inswing or outswing doors. The two different sizes allow the installer a choice of seal lengths. Use as is, or simply trim the legs as necessary. Adhere 5/16" (8 mm) rigid base to glass edge.



PRODUCT CODE	GLASS SIZE
EWDFS	



EDGE WIPES

Bottom Rail is snapped onto the fixed panel running inline with the door.



PRODUCT CODE	GLASS SIZE
EW10BR38	10mm





'V' SEAL-DUAL DUROMETER

This is used only on doors swinging one way to seal gaps from 3/16" (5 mm) to 1/4" (6 mm). Adhere 5/16" (8 mm) rigid leg to glass edge. Door closes into soft vinyl leg.

PRODUCT CODE	GLASS SIZE
EWVS	




Top Views




One Way Outswing Doors

'L' SEALS

"They should be used on outswing doors only, and can be used on both hinge and strike side jambs. The soft leg of the "L" will act as a seal, allowing for a quiet and forgiving door closure."





PRODUCT CODE	GLASS SIZE
MEW10-90	10mm




BULB SEAL

Bulb Seal can be used on inswing or outswing doors.

Top Views



PRODUCT CODE	GLASS SIZE
EW10DD	





www.imperialhardware.net